



TUPRW12 Wad

12 Gauge 2-3/4" Data for Steel Shot

WARNING

Scale all powder charges before and frequently during the reloading process to verify the amount you are loading in the shell is consistent with the loading data you are following.

Do Not Reload Shotshells Until You Read and Understand the Entire Contents of This Data.

This data has been tested by Precision Reloading and has been found to produce the tested results when assembled with our lots of components, the use of new or once fired shotgun hulls specified with the data, on our loading tools and by our technicians. Because Precision Reloading has no control over any of the numerous possible variations in component lots, in tool and die dimensions, and in reloading procedures, the individual reloader is solely responsible for any variation that may be incurred by assembled ammunition. Precision Reloading has no control over how reloading is conducted by the individual or with what components and dies. Every change in equipment, procedure, and component lot will affect the ballistics and/or safety and usefulness of a load. Therefore, no warranties are implied or expressed by the data and copy contained herein. We specifically disclaim any and all liability for consequential damages of any kind.

All loading data listed herein is within SAAMI guidelines and has been tested using the piezoelectric transducer system.

©Copyright Precision Reloading, LLC. 2018

Cheddite 12 Gauge 2-3/4" Plastic Hull with Plastic Basewad

Primer	Powder	Grains	Wad Column	Filler Wad	Steel Shot (oz.)	Velocity	Pressure (PSI)	Load #
Ched 209	800X	22.5	TUPRW12	XYFE12520	1	1,282	11,460	120210
Ched 209	Blue Dot	34.0	TUPRW12	XYFE12520	1	1,390	10,810	120067
Ched 209	HS-6	27.0	TUPRW12	XYFE25020	1	1,252	10,400	120304
Ched 209	IMR Blue	32.5	TUPRW12	XYFE12520	1	1,293	11,280	120111
Ched 209	Longshot	25.5	TUPRW12	XYFE25020	1	1,376	11,310	120163
Ched 209	Universal	20.5	TUPRW12	XYFE25020	1	1,252	10,610	120258
Fed 209A	Steel	30.0	TUPRW12	XYFE12520	1	1,468	11,420	120028
Fiocchi 616	800X	22.5	TUPRW12	XYFE12520	1	1,231	11,230	120211
Fiocchi 616	Blue Dot	34.0	TUPRW12	XYFE12520	1	1,341	9,820	120068
Fiocchi 616	HS-6	27.0	TUPRW12	XYFE25020	1	1,240	10,180	120305
Fiocchi 616	IMR Blue	32.5	TUPRW12	XYFE12520	1	1,263	11,000	120117
Fiocchi 616	Longshot	25.5	TUPRW12	XYFE25020	1	1,389	11,390	120164
Fiocchi 616	Universal	20.5	TUPRW12	XYFE25020	1	1,255	10,750	120259
Ched 209	Blue Dot	29.5	TUPRW12	----	1-1/8	1,257	11,000	120073
Fed 209A	Steel	25.5	TUPRW12	----	1-1/8	1,286	10,720	120030
Fiocchi 616	Blue Dot	29.5	TUPRW12	----	1-1/8	1,241	10,690	120072

Federal 12 Gauge 2-3/4" Plastic Gold Medal Hull

Primer	Powder	Grains	Wad Column	Filler Wad	Steel Shot (oz.)	Velocity	Pressure (PSI)	Load #
Fed 209A	800X	21.0	TUPRW12	XYFE12520	1	1,227	11,430	120212
Fed 209A	Blue Dot	27.0	TUPRW12	XYFE12520	1	1,222	10,580	120079
Fed 209A	Blue Dot	30.5	TUPRW12	XYFE12520	1	1,344	11,490	120063
Fed 209A	HS-6	25.0	TUPRW12	XYFE25020	1	1,231	11,110	120306
Fed 209A	IMR Blue	29.0	TUPRW12	XYFE12520	1	1,259	11,480	120112
Fed 209A	Longshot	23.0	TUPRW12	XYFE25020	1	1,306	11,300	120165
Fed 209A	Universal	18.5	TUPRW12	XYFE25020	1	1,215	11,220	120260
Fed 209A	Steel	25.0	TUPRW12	XYFE12520	1	1,264	9,180	120078
Fed 209A	Steel	26.5	TUPRW12	XYFE12520	1	1,365	10,760	120025
Win 209	800X	21.0	TUPRW12	XYFE12520	1	1,214	11,430	120213
Win 209	Blue Dot	30.5	TUPRW12	XYFE12520	1	1,302	10,660	120064
Win 209	HS-6	25.0	TUPRW12	XYFE25020	1	1,193	11,000	120307
Win 209	IMR Blue	29.0	TUPRW12	XYFE12520	1	1,220	11,480	120118
Win 209	Longshot	23.0	TUPRW12	XYFE25020	1	1,256	9,470	120166
Win 209	Universal	18.5	TUPRW12	XYFE25020	1	1,202	10,850	120261
Fed 209A	Blue Dot	25.5	TUPRW12	----	1-1/8	1,187	11,220	120069
Fed 209A	Steel	24.0	TUPRW12	----	1-1/8	1,257	10,960	120031

Precision Reloading, LLC Hull Item Number - HLF12UL8GM

Insert Filler Wad Under Shot in Base of Wad.

Federal 12 Gauge 2-3/4" Plastic Hull with Paper Basewad

Primer	Powder	Grains	Wad Column	Filler Wad	Steel Shot (oz.)	Velocity	Pressure (PSI)	Load #
Fed 209A	800X	24.0	TUPRW12	XYFE12520	1	1,284	11,170	120214
Fed 209A	HS-6	26.5	TUPRW12	XYFE25020	1	1,232	10,670	120308
Fed 209A	IMR Blue	32.5	TUPRW12	XYFE12520	1	1,293	11,040	120113
Fed 209A	Longshot	25.5	TUPRW12	XYFE25020	1	1,347	10,910	120167
Fed 209A	Universal	21.0	TUPRW12	XYFE25020	1	1,276	11,460	120262
Win 209	800X	24.0	TUPRW12	XYFE12520	1	1,272	10,870	120215
Win 209	HS-6	26.5	TUPRW12	XYFE25020	1	1,205	9,770	120309
Win 209	IMR Blue	32.5	TUPRW12	XYFE12520	1	1,266	10,620	120119
Win 209	Longshot	25.5	TUPRW12	XYFE25020	1	1,317	10,180	120168
Win 209	Universal	21.0	TUPRW12	XYFE25020	1	1,270	11,230	120263
Fed 209A	Blue Dot	28.5	TUPRW12	----	1-1/8	1,248	11,470	120315
Win 209	Blue Dot	28.5	TUPRW12	----	1-1/8	1,232	10,730	120316

Precision Reloading, LLC Hull Item Number - HLF12RL8, HLF12RH8

Insert Filler Wad Under Shot in Base of Wad.

Reloading Notes

⚠ WARNING

Scale all powder charges before and frequently during the reloading process to verify the amount you are loading in the shell is consistent with the loading data you are following.

Do Not Reload Shotshells Until You Read and Understand the Entire Contents of This Data.

This data has been tested by Precision Reloading and has been found to produce the tested results when assembled with our lots of components, the use of new or once fired shotgun hulls specified with the data, on our loading tools and by our technicians. Because Precision Reloading has no control over any of the numerous possible variations in component lots, in tool and die dimensions, and in reloading procedures, the individual reloader is solely responsible for any variation that may be incurred by assembled ammunition. Precision Reloading has no control over how reloading is conducted by the individual or with what components and dies. Every change in equipment, procedure, and component lot will affect the ballistics and/or safety and usefulness of a load. Therefore, no warranties are implied or expressed by the data and copy contained herein. We specifically disclaim any and all liability for consequential damages of any kind.

All loading data listed herein is within SAAMI guidelines and has been tested using the piezoelectric transducer system.

©Copyright Precision Reloading, LLC. 2018

Fiocchi 12 Gauge 2-3/4" Plastic Hull with Plastic Basewad

Primer	Powder	Grains	Wad Column	Filler Wad	Steel Shot (oz.)	Velocity	Pressure (PSI)	Load #
Ched 209	800X	22.0	TUPRW12	XYFE12520	1	1,216	10,780	120216
Ched 209	Blue Dot	33.5	TUPRW12	XYFE12520	1	1,412	11,470	120061
Ched 209	HS-6	26.0	TUPRW12	XYFE25020	1	1,230	10,240	120310
Ched 209	IMR Blue	31.5	TUPRW12	XYFE12520	1	1,289	11,450	120114
Ched 209	Longshot	24.0	TUPRW12	XYFE25020	1	1,321	11,090	120169
Ched 209	Universal	21.0	TUPRW12	XYFE25020	1	1,284	11,460	120264
Fed 209A	Steel	30.0	TUPRW12	XYFE12520	1	1,460	11,490	120024
Fiocchi 616	800X	22.0	TUPRW12	XYFE12520	1	1,222	11,160	120217
Fiocchi 616	Blue Dot	33.5	TUPRW12	XYFE12520	1	1,376	10,830	120062
Fiocchi 616	HS-6	26.0	TUPRW12	XYFE25020	1	1,200	9,570	120311
Fiocchi 616	IMR Blue	31.5	TUPRW12	XYFE12520	1	1,240	10,810	120120
Fiocchi 616	Longshot	24.0	TUPRW12	XYFE25020	1	1,305	10,900	120170
Fiocchi 616	Universal	21.0	TUPRW12	XYFE25020	1	1,282	11,420	120265
Ched 209	Blue Dot	28.5	TUPRW12	----	1-1/8	1,228	11,060	120071
Fed 209A	Steel	25.0	TUPRW12	----	1-1/8	1,250	10,410	120029
Fiocchi 616	Blue Dot	28.5	TUPRW12	----	1-1/8	1,214	10,380	120070

Precision Reloading, LLC Hull Item Number - FC12GA, FC12HGA

Insert Filler Wad Under Shot in Base of Wad.

Remington 12 Gauge 2-3/4" Plastic STS Unibody Hull

Primer	Powder	Grains	Wad Column	Filler Wad	Steel Shot (oz)	Velocity	Pressure (PSI)	Load #
Fed 209A	Blue Dot	25.0	TUPRW12	XYFE12520	1	1,202	11,440	120080
Fed 209A	Steel	23.0	TUPRW12	XYFE12520	1	1,226	9,860	120079
Fed 209A	Steel	24.0	TUPRW12	XYFE12520	1	1,284	11,020	120026

Precision Reloading, LLC Hull Item Number - HLR12UL8S, HLR12UL8N, HLR12UL6G, HLR12UL8G

Insert Filler Wad Under Shot in Base of Wad.

Reloading Notes

⚠ WARNING

Scale all powder charges before and frequently during the reloading process to verify the amount you are loading in the shell is consistent with the loading data you are following.

Do Not Reload Shotshells Until You Read and Understand the Entire Contents of This Data.

This data has been tested by Precision Reloading and has been found to produce the tested results when assembled with our lots of components, the use of new or once fired shotgun hulls specified with the data, on our loading tools and by our technicians. Because Precision Reloading has no control over any of the numerous possible variations in component lots, in tool and die dimensions, and in reloading procedures, the individual reloader is solely responsible for any variation that may be incurred by assembled ammunition. Precision Reloading has no control over how reloading is conducted by the individual or with what components and dies. Every change in equipment, procedure, and component lot will affect the ballistics and/or safety and usefulness of a load. Therefore, no warranties are implied or expressed by the data and copy contained herein. We specifically disclaim any and all liability for consequential damages of any kind.

All loading data listed herein is within SAAMI guidelines and has been tested using the piezoelectric transducer system.

Remington 12 Gauge 2-3/4" Plastic Hull with Yellow Basewad

Primer	Powder	Grains	Wad Column	Filler Wad	Steel Shot (oz.)	Velocity	Pressure (PSI)	Load #
Fed 209A	800X	20.5	TUPRW12	XYFE12520	1	1,200	11,280	120218
Fed 209A	Blue Dot	29.0	TUPRW12	XYFE12520	1	1,314	11,430	120065
Fed 209A	HS-6	25.0	TUPRW12	XYFE25020	1	1,209	10,450	120312
Fed 209A	IMR Blue	28.5	TUPRW12	XYFE12520	1	1,216	11,460	120115
Fed 209A	Longshot	23.5	TUPRW12	XYFE25020	1	1,290	10,480	120174
Fed 209A	Longshot	24.0	TUPRW12	XYFE25020	1	1,345	11,420	120171
Fed 209A	Steel	27.5	TUPRW12	XYFE12520	1	1,388	11,200	120027
Fed 209A	Universal	19.5	TUPRW12	XYFE25020	1	1,240	11,310	120266
Rem 209P	HS-6	25.5	TUPRW12	XYFE25020	1	1,239	9,710	120313
Rem 209P	Longshot	24.0	TUPRW12	XYFE12520	1	1,333	11,360	120172
Rem 209P	Universal	19.5	TUPRW12	XYFE12520	1	1,220	10,690	120267
Win 209	Blue Dot	29.0	TUPRW12	XYFE12520	1	1,231	10,040	120066
Win 209	HS-6	25.5	TUPRW12	XYFE25020	1	1,200	10,340	120314
Win 209	IMR Blue	28.5	TUPRW12	XYFE12520	1	1,201	11,250	120116
Win 209	Longshot	24.0	TUPRW12	XYFE25020	1	1,305	10,860	120173
Win 209	Universal	19.5	TUPRW12	XYFE25020	1	1,234	11,260	120268
Fed 209A	Steel	22.5	TUPRW12	----	1-1/8	1,219	11,350	120032

Precision Reloading, LLC Hull Item Number - HLR12PH6B, HLR12PH6G, HLR12PH6S

Insert Filler Wad Under Shot in Base of Wad.

Reloading Notes

⚠ WARNING

Scale all powder charges before and frequently during the reloading process to verify the amount you are loading in the shell is consistent with the loading data you are following.

Do Not Reload Shotshells Until You Read and Understand the Entire Contents of This Data.

This data has been tested by Precision Reloading and has been found to produce the tested results when assembled with our lots of components, the use of new or once fired shotgun hulls specified with the data, on our loading tools and by our technicians. Because Precision Reloading has no control over any of the numerous possible variations in component lots, in tool and die dimensions, and in reloading procedures, the individual reloader is solely responsible for any variation that may be incurred by assembled ammunition. Precision Reloading has no control over how reloading is conducted by the individual or with what components and dies. Every change in equipment, procedure, and component lot will affect the ballistics and/or safety and usefulness of a load. Therefore, no warranties are implied or expressed by the data and copy contained herein. We specifically disclaim any and all liability for consequential damages of any kind.

All loading data listed herein is within SAAMI guidelines and has been tested using the piezoelectric transducer system.